

正本



荷商葛蘭素史克藥廠股份有限公司台灣分公司 函

地址：100 台北市忠孝西路一段 66 號 24 樓
聯絡人：吳宜娟
電話：02-2312-6871 傳真：02-2312-0881
電子郵件信箱：ruth.i.wu@gsk.com

受文者：裕利股份有限公司/吉程股份有限公司/裕翔藥品股份有限公司

發文日期：中華民國 106 年 8 月 23 日

發文字號：GSK106126 號

附件：

主旨：通知有關藥品許可證衛部藥輸字第 026500 號「英克賜易利達 55mcg 乾粉吸入劑」包裝上之商標標示變更事宜，並請協助轉知各使用之醫療單位。並請協助轉知各使用之醫療單位、中華民國藥師公會全國聯合會、社團法人台灣臨床藥學會及台灣年輕藥師協會。

說明：

- 一、包裝上之商標標示變更，由 TM 改為®。
- 二、敬請 貴單位協助該產品之變更事宜，懇請繼續給予本公司支持為禱。

:

荷商葛蘭素史克藥廠股份有限公司台灣分公司

負責人：詹森




GlaxoSmithKline Far East B.V. Taiwan Branch

24F, No. 66, Sec. 1, Zhong Xiao W. Rd., Taipei 100, Taiwan

Tel: 886-2-23818866 Fax: 886-2-23120884

新舊產品比較圖



0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

INCUSE™ and Ellipta™ are trademarks of the GlaxoSmithKline group of companies.
 ©2013 GlaxoSmithKline group of companies. All rights reserved.
 Manufactured by Glaxo Operations UK Limited,
 Priority Street, Ware, Hertfordshire, SG12 0DJ, United Kingdom
 "Member of the GlaxoSmithKline group of companies."
 商標：葛蘭素葛蘭素公司
 地址：葛蘭素葛蘭素公司
 地址：葛蘭素葛蘭素公司
 地址：葛蘭素葛蘭素公司

舊

INCUSE™ ELLIPTA™ 55

55 micrograms
 Inhalation powder, pre-dispersed
 umeclidinium

INCUSE™ and Ellipta™ are trademarks of the GlaxoSmithKline group of companies.
 ©2013 GlaxoSmithKline group of companies. All rights reserved.
 Manufactured by Glaxo Operations UK Limited,
 Priority Street, Ware, Hertfordshire, SG12 0DJ, United Kingdom
 "Member of the GlaxoSmithKline group of companies."
 商標：葛蘭素葛蘭素公司
 地址：葛蘭素葛蘭素公司
 地址：葛蘭素葛蘭素公司
 地址：葛蘭素葛蘭素公司

新

INCUSE™ ELLIPTA™ 55

55 micrograms
 Inhalation powder, pre-dispersed
 umeclidinium



16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

舊

新

INCRUSE™ ELLIPTA™ 55

55 micrograms
inhalation powder, pre-dispensed
umeclidinium

Each delivered dose contains
55 micrograms umeclidinium (equivalent to
65 micrograms of umeclidinium bromide).
Also contains lactose monohydrate and
magnesium stearate.
See package leaflet for further information.

M998-001-01

INCRUSE® ELLIPTA® 55

55 micrograms
inhalation powder, pre-dispensed
umeclidinium

Each delivered dose contains
55 micrograms umeclidinium (equivalent to
65 micrograms of umeclidinium bromide).
Also contains lactose monohydrate and
magnesium stearate.
See package leaflet for further information.

M998-001-02

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16